



PPROM
Awareness

Preterm Premature Rupture of Membranes



HYPERTENSIVE DISORDERS OF PREGNANCY

OSM



1. WHICH OF THESE PATIENTS HAS BEST PROGNOSIS AFTER PPROM? *

1 point

20 wks pregnancy after cervical encerclage.

Ans 18 wks pregnancy after amniocentesis

24 wks pregnancy with onset of contraction on D2

23 wks pregnancy with APH

2. WHAT IS WRONG IN THE MANAGEMENT OF PPROM? *

1 point

MGSO4 given by Pritchard's regime for 24hrs or till delivery.

Inj Dexamethasone 6mg 6 hourly x 4 doses for lung maturity

Inj Ampicillin 1gm 8 hourly + Erythromycin 500mg 6 hourly

Ans Tocolysis till leaking stops

3. WHICH OF THE FOLLOWING STATEMENT IN RELATION TO PPROM IS TRUE? *

1 point

10% women with PPROM will go into labor within 7 days

PPROM contributes to 80% of pre-term births.

Main etiological factor of PPROM is cervical insufficiency

Ans Same G.A Babies born after PPROM have more morbidity than Iatrogenic Preterm Birth

4. TICK THE WRONG STATEMENT. *

1 point

Ans Betamethasone is better than dexamethasone in PPROM as it can prevent PVL as well.

Cortisone and prednisone do not cross placenta.

preterm gestation is between 24wks to 37 wks.

Corticosteroids should be given till 34wks of gestation only.

5. INDICATION OF HEPARIN IN HDP. *

1 point

BP 170/110 mmhg

FGR

.

Ans APLA

FGR AND APLA

6. TICK THE WRONG STATEMENT . *

1 point

To treat BP in HDP we should not use Atenolol, ACE inhibitors and ARBS

Absence of midtrimester fall in B.P, is early predictor of HT in later half of pregnancy.

Ans For measurement of BP the size of cuff according to upper arm is length of bladder 40% & width of bladder 80%.

All are correct.

7. GESTOSIS SCORE..... TICK THE WRONG STATEMENT. *

1 point

Developed by Dr. Gorakh Mandrupkar for prediction of HDP. Total score of ≥ 3 means woman is high risk of HDP.

Ans GDM is given score of 3.

This is a gift to world by India.

Cost effective.

8. TICK THE WRONG STATEMENT. *

1 point

To prevent HDP, we give Asprin 75mg +1-1.5gm calcium beginning in 1 trimester till 48hrs before labour or delivery.

In hypertensive crisis [i.e BP >179/109 mmhg] Aim of hypertensive therapy is to reduce...M.A.P by 15-25%

In HELLP syndrome before 34wks you can wait for corticosteroid cover, if maternal and fetal condition allows.

Ans Hypertensive urgency is when B.P is raised along with end organ damage

9. MR LUV AGARWAL, MUCH IN NEWS THESE DAYS,BELONGS TO WHICH CITY OF U.P ? . *

1 point

Ghaziabad

Meerut

Ans Saharanpur

Aligarh

10.WHICH CHARACTER OF SERIAL ' RAMAYAN' DIED IN REAL LIFE? *

1 point

Dashrath

Kakayi

Ans Sugreev

Ravan