

Quiz Team 20-21 September

Q1. Which of the following contraceptive methods can preferably be provided to adolescents

- a OCP's
- b IUCD
- c condoms along with OCP's and IUCD
- d condom

Q2. MEC 1&2 holds true for all methods of contraception in all conditions except

- a Anaemia
- b Benign ovarian cyst
- c Migrane with aura
- d CIN

Q3. PPIUCD can be applied after delivery in all conditions except

- a immediately after delivery
- b <48 hours after delivery
- c <36 hours after delivery
- d within 6 weeks after delivery

Q4. OCP's can be prescribed in all conditions except

- a Acute viral infection
- b nulliparous woman
- c Postabortal
- d PID &STD

Q5. Which method is suitable as contraception in family history of Breast Carcinoma

- a COC's
- b Injectables
- c IUCD
- d All of the above

Q6. If emergency contraceptive pills are taken by a pregnant female accidentally

- a fetus will have congenital anomalies
- b She will abort

c there will be no harm to fetus

d a&b

Q7. In obese female (BMI >26), according to MEC, oral contraception is placed under which category

a I

b I and II

c III

d IV

Q8. Which form of contraception is contraindicated with history of DVT

a COC's

b IUCD

c Injectables

d none

Q9. According to Medical eligibility criteria in a patient with ischaemic heart disease, which contraceptive method is an absolute contraindication

a POP's

b IUCD

c COC's

d a&b

Q10. Which emergency contraception is best in a woman with heart disease

a Mifepristone

b LNG

c Ulipristal

d all of the above

Q11. Which prize was awarded to GOGS in the poster making by Breast feeding committee of FOGSI

a First

b second

c third

d consolation

ans 1 c 2 c 3 d 4 a 5 d 6c 7 b 8 a 9 c 10 d 11 b

